

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database		
	US Patents Full-Text Database		
	US OCR Full-Text Database		
	EPO Abstracts Database		
	JPO Abstracts Database		
	Derwent World Patents Index		
	IBM Technical Disclosure Bulletins		
Term:	pixel\$1 same three adj different adj state\$1		
Display:	<input type="text" value="20"/> Documents in	Display Format: <input type="text" value="TI"/>	Starting with Number <input type="text" value="1"/>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image			

Search

Clear

Interrupt

Search History

DATE: Friday, July 29, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L31</u>	pixel\$1 same three adj different adj state\$1	18	<u>L31</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L30</u>	display same three adj different adj state\$1	74	<u>L30</u>
<u>L29</u>	l13 and three adj different adj state\$1	0	<u>L29</u>
<u>L28</u>	l13 and three same display same state\$1	9	<u>L28</u>
<u>L27</u>	L26 and different adj (memory or storage adj region\$1)	8	<u>L27</u>
<u>L26</u>	L21 and @py<=1999	61	<u>L26</u>
<u>L25</u>	L2 and @py<=1999	48	<u>L25</u>
<u>L24</u>	L2 and @py<+1999	102	<u>L24</u>
<u>L23</u>	L21 and (first or second or different) and driv\$3 adj scheme\$1	0	<u>L23</u>
<u>L22</u>	L21 and (first or second or different) same drive\$3 adj scheme\$1	0	<u>L22</u>
<u>L21</u>	L20 and (defined or different) same (storage or memory) adj regions	238	<u>L21</u>
<u>L20</u>	display adj device same (memory or storage)	80393	<u>L20</u>
<u>L19</u>	L18 and @PY<=1999	7	<u>L19</u>
<u>L18</u>	bistable adj display\$1 same (memory or storage)	27	<u>L18</u>

<u>L17</u>	bistable adj display\$1	336	<u>L17</u>
<u>L16</u>	bistable adj dispay\$1	0	<u>L16</u>
<u>L15</u>	L14 and @py<=1999	3	<u>L15</u>
<u>L14</u>	bistable adj electro-optic adj display and (memory or storage)	14	<u>L14</u>
<u>L13</u>	bistable adj electro-optic adj display	25	<u>L13</u>
<u>L12</u>	L11 and @py<=1999	6	<u>L12</u>
<u>L11</u>	l7 and (lookup or look-up or look adj up) adj table	40	<u>L11</u>
<u>L10</u>	L8 and pixel\$1 same compensat\$3 adj voltage same storage	6	<u>L10</u>
<u>L9</u>	L8 and pixel\$1 same compensat\$3 adj volage same storage	0	<u>L9</u>
<u>L8</u>	L7 and @py<=1999	87	<u>L8</u>
<u>L7</u>	pixel\$1 same compensat\$3 adj voltage	252	<u>L7</u>
<u>L6</u>	pixel same compenst\$3 adj voltage	0	<u>L6</u>
<u>L5</u>	pixel\$1 same initial adj state same final adj state same (lookup or look-up or look adj up)	6	<u>L5</u>
<u>L4</u>	pixel\$1 same initial adj state same final adj state	28	<u>L4</u>
<u>L3</u>	L2 and @py<=1999	48	<u>L3</u>
<u>L2</u>	L1 and pixel\$1	102	<u>L2</u>
<u>L1</u>	(lookup or look-up or look adj up) adj table same calculat\$3 same output adj signal	570	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database	
	US Patents Full-Text Database	
	US OCR Full-Text Database	
	EPO Abstracts Database	
	JPO Abstracts Database	
	Derwent World Patents Index	
	IBM Technical Disclosure Bulletins	
Term:	114 and pixel same temperature adj compensat\$3 same signal	
Display:	<input type="text" value="20"/> Documents in Display Format: <input type="text" value="TI"/>	Starting with Number <input type="text" value="1"/>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image		

Search History

DATE: Friday, July 29, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ		
<u>L15</u>	114 and pixel same temperature adj compensat\$3 same signal	1	<u>L15</u>
<u>L14</u>	113 and controller	43	<u>L14</u>
	DB=PGPB,USPT; PLUR=YES; OP=ADJ		
<u>L13</u>	L12 and @py<=1999	84	<u>L13</u>
<u>L12</u>	pixel\$1 and temperature adj compensation and output adj signal	284	<u>L12</u>
<u>L11</u>	pixel\$1 and temperature adj compensation	684	<u>L11</u>
<u>L10</u>	pixel\$1 and temperature adj compensation	684	<u>L10</u>
<u>L9</u>	pixel\$1 and temperature adj compensation	684	<u>L9</u>
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ		
<u>L8</u>	L7 and output adj signal	6	<u>L8</u>
<u>L7</u>	non-zero same DC adj balanced	10	<u>L7</u>
<u>L6</u>	pixel\$s same output same signal same non-zero same DC adj balanced	1	<u>L6</u>
<u>L5</u>	L4 and @py<=1999	17	<u>L5</u>
<u>L4</u>	pixels same 0 same +V same -V	41	<u>L4</u>
<u>L3</u>	pixels same three adj gray adj level\$1	55	<u>L3</u>

<u>L2</u>	display same (storage or memory) same (first or second) near2 driv\$3 scheme\$1	0	<u>L2</u>
<u>L1</u>	display same (storage or memory) and (first or second) near2 driv\$3 scheme\$1	16	<u>L1</u>

END OF SEARCH HISTORY